### WIZ550S2E TFTP를 이용한 펌웨어 업로드

#### 1 TFTP server program download

#### <u>www.tftp-server.com</u>

WinAgents TFTP Server for Windows is a full-featured TFTP server for Windows. WinAgents TFTP Server runs as a background task and doesn't require permanent attendance. It has been originally designed to work in 24x7 background operation mode. Using WinAgents TFTP Server, you can make reserve copies of device settings, update flash images, store sound files for IVR systems and perform other essential operations.

Why WinAgents TFTP Server is better? Learn more...

#### Download WinAgents TFTP Server Now!

Key features of WinAgents TFTP Server

- Platform: Windows 2000/XP/2003/**Vista/2008/7**. TFTP Server is running as background task.
- Implemented as a system Windows service

## Version History About TFTP Server Help Overview

Support

TFTP Protocol Server Components TFTP Service Server Manager Connecting Server Settings

## 2 TFTP server setting



# 서버 폴더 열기(마우스 오른쪽 클릭후 열기)

🔇 WinAg	gents	s TFTP Server Manager - localhost	
E Server	File	Edit View Help	
	0	Virtual Folder:	
		열기(0)	
	<del>()</del>	Search Everything Browse with FastStone Open MobaXterm terminal here Take ownership 꼴뷰로 보기(3)	크기 양복 유명 구성한 날짜
	0 0	알집으로 압축하기(L) "TFTPRoot.zip" 으로 압축하기(Q)	
		공유 대상(H) 이전 버전 복원(V) 라이브러리에 포함(I)	۶ - ۲ - ۲ - ۲ - ۲ - ۲ - ۲ - ۲ - ۲ - ۲ -
		보내기(N)	۶.
		잘라내기(T) 복사(C)	
Transfer		바로 가기 만들기(S)	
Start time		삭제(D) 이름 바꾸기(M)	ode Size Transferred Blocksize Timeout Status Description
		속성(R)	
			No transfers
Conne	cted	l to localhost Tria	mode (30 days of 30 left)

# \_실행파일 TFTP 서버 폴더에 복사

a last							X
○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	ramData + WinAgents + TFTP Server 4 + TF	TPRoot	▼ ← TFTPRoot	걸색			٩
구성 🔻 🗋 열기 🗟기 새 폴더	9					•	•
☆ 즐겨찾기	이를	수정한 날짜	유형	크기			
Image: Strength of the stren	WIZ550S2E_App.bin	2015-06-17 오후	BIN 파일		58KB		
🜄 바탕 화면							
최근 위치 N드라이브							
중 라이브러리							
비디오							
■ 사건 ♪ 음악							
1툦 컴퓨터							
4월 로컬 디스크 (C:)							
FileServer(\#192.168.88.101) (Z:)							
📭 네트워크							
WIZ550S2E_App.bin 수정한 날 BIN 파일 =	날짜: 2015-06-17 오후 2:38 만든 날짜: 2015 3기: 57.8KB	-06-23 오전 9:55					

## 복사한 파일 확인

🕲 WinAgents TFTP Server Manager - localhost
Server File Edit View Help
💕 🛃 🎬 Virtual Folder: 🔪 💽 🛃 🎥
Start time 🛆 Client Address File Mode Size Transferred Blocksize Timeout Status Description
No transfers.
Connected to localhost Trial mode (30 days of 30 left)

## TFTP 서버 설정 확인 69포트

WinAgents TFTP Server Manager - localhost		
Edit View Help		
Virtual Folder: \	TFTP Server Settings	
Transfers Server Log Start time △ Client Address File	General   Logging   Administration     Network;   TFTP server gort:   53   Enable firewall support     TFTP gineout:   5   sec   Betries:   5     Interface bindings:   •   •   Listen to gll available interfaces     •   Listen to the folloging interfaces only:   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   127:001   •   •   •     •   Icenereerror   •   • <td< td=""><td>lion</td></td<>	lion
Connected to localhost Trial r	mode (30 days of 30 left)	1

# 3 Configuration Tool에서 F/W Uploading

WIZnet Configuration Tool Version	1.02				
List of Modules	Network Setting	Serial Setting	Options Setting		
wizhet	IP 192.168.1.123	Baud Rate 115200 -	WIZ550S2E		
00:08:DC:1D:AF:82	Gateway 192.168.1.1	Data Bits 8	Password		
- 🗋 00:08:DC:EF:AB:D2	Subnet 255.255.255.0	Parity None 👻	Setting Password		
	Host IP 192.168.1.230	Stop Bits 1 👻	***		
	Port 5000	Flow RS485 -	Connection Password		
	Re TFTP Server Information		DHCP		
	Wo TFTP Server Information		Use DHCP		
	Serve8P 192.168.1.230	DNS			
	C Server Port 69	Use DNS			
	G File Name WIZ550S2E_A	App.bin	DNS Server IP 168.126.63.1		
· · · · · · · · · · · · · · · · · · ·	C Password •••				
Search Method	Tim	OK Cancel	Domain		
Broadcast	Inactivity	Length 0			
O IP Address	0 Seconds	2D 2D 2D 2D			
O MAC Address	1000 ms	Append 0			
	Firmware Version	Network Status			
	1.0.1				
Sear	ch Setting F/W Uploading	Reset Factory Reset	Exit		

P열성 DNS WINS		
IP 주소( <u>B</u> )		
IP 주소	서부넷 마스크	· 고정아이피 PC라면?
192, 168, 11, ×××	255, 255, 255, 0	- 이터넷 설정 고급에 들어가서 모듈이 가진
*	III.	
1	추가( <u>A</u> ) 편집( <u>E</u> ) 제거(	이어피 내극어당 곳군니.
		모듈이 192.168.1.xxx 이라면 PC 고급에서
기존개이드웨이([)		192.168.1.xxx를 추가
게이트웨이	메트릭	
222,98,173,254	자동	
		유동 아이피 라면?
-	추가( <u>D</u> ) ] 편집( <u>T</u> ) ] 제거( <u>1</u>	🔟 🔹 PC가 할당 받은 아이피를 검색하여 같은 [
		역이 되도록 모듈이 IP를 변경하다
☑ 사동 메트릭( <u>U</u> )		
인터페이스 메트릭(N):		